

colornodules on ELCAP

I. OVERALL STATISTICS

The confusion matrix for each type is shown in Table I. The overall classification rate is 84.1%. Results for all cases are shown. Scores are presented on the most right of the image. It should be noted that cases not correctly classified are labeled out using red rectangles.

TABLE I
CONFUSION MATRIX FOR *colornodules* ON ELCAP

	G	W	N	P	V	J
G	0.57	0.00	0.43	0.00	0.00	0.00
W	0.03	0.84	0.06	0.00	0.07	0.00
N	0.01	0.01	0.97	0.00	0.00	0.00
P	0.00	0.02	0.18	0.79	0.02	0.00
V	0.04	0.07	0.09	0.00	0.79	0.01
J	0.00	0.00	0.28	0.00	0.02	0.70

G = Ground glass optic
P = Pleural-tail

W = Well-circumscribed
V = Vascularized



N = Non-nodule
J = Juxta-pleural


II. RESULTS

Click highlighted link to jump to corresponding section.


- [II-A](#) Well-circumscribed
- [II-B](#) GGO
- [II-C](#) Juxta-pleural
- [II-D](#) Pleural-tail
- [II-E](#) Vascularized
- [II-F](#) Non-nodule

A. *Well-circumscribed for colornodules*








B. *GGO* for colornodules





C. *Juxta-pleural for colornodules*










D. Pleural-tail for colornodules



E. Vascularized for colornodules







F. Non-nodule for colornodules

